

# MILLS<sup>®</sup> PARTITIONS

Distinctive style. Superior durability.



Bradmar™ Solid Plastic  
Stainless Steel

Powder Coated  
Phenolic **NEW DESIGN!**

Celebrating the way the world washes.



# Mills® Partitions

Offering a wide selection of the most innovative product materials available, Mills® partitions are suited for a variety of applications and environments. The quality materials used provide key features to architects and specifiers, such as aesthetic appeal, vandal resistance, low cost and warranties. From high-performance material options to creative style solutions, Mills partitions provide architects smart, economical choices.

## MATERIALS

Bradley has the largest green product offering of restroom partition materials and all are GREENGUARD Certified as low emitting materials. Our 100% post-consumer recycled content HDPE material in the Bradmar™ line is made entirely of recycled milk jugs. On average, each stall keeps more than 1600 milk jugs out of landfills.



### Stainless Steel

- 40% pre-consumer, 25% post-consumer recycled stainless steel.
- Heavy traffic
- Privacy options



### Powder Coated

- 25% pre-consumer.
- Moderate traffic
- Privacy options



### Bradmar™ Solid Plastic

- 30% pre-consumer, 100% pre-consumer or 100% post-consumer recycled high density polyethylene (HDPE).
- Heavy traffic
- Privacy options



### Phenolic Core

- 20% pre-consumer recycled phenolic core.
- Heavy traffic
- Privacy options



Door pulls and latches available with antimicrobial protection to inhibit the growth of bacteria, mold, mildew and fungus.

## MOUNTING STYLES

Bradley's wide variety of partition mounting styles meet the design needs of every application, from airports and sports entertainment complexes to restaurants, fitness centers and schools. Whether easy maintenance, economy, durability, added support, design aesthetic or "all of the above" is driving the decision, Mills offers a style most suited to your building's restrooms.

### Sentinel™ Floor-Mounted, Overhead Braced Series 400

This style provides the most economical solution for heavy traffic and vandalism-prone areas. Because it requires no special floor or ceiling construction, installation is easy in new construction or existing buildings. The anti-grip head rail provides outstanding rigidity.

**NEW! Extra height doors and panels available.**



### Floor-Braced Series 500

Floor-braced partitions complement design with functional performance. Recommended for buildings with high ceilings, it enhances the effect of spaciousness. A minimum three inch concrete floor for anchoring is required. This style not available in Bradmar solid plastic.



### Ceiling Hung Series 600

Ceiling hung partitions are ideal for areas with low ceilings. Offering an area free from obstruction to allow for fast and easy maintenance, the system requires structural supports in the ceiling for maximum rigidity. Not recommended for ceiling heights over eight feet. Not available in Bradmar solid plastic.



### Floor-to-Ceiling Series 700

This style works well where additional support is required. Anchored at the floor and ceiling. Offers the most stability.

**NEW! Extra height doors and panels available.**



72"  
(1829 mm)

69"  
(1753 mm)

6" (153 mm)  
AFF

9" (230 mm)  
AFF

9" (230 mm)  
AFF



Current ADA guidelines require the front partition and one side partition to provide toe clearance of at least 9" (230 mm) above the finished floor


Powder coated with extra height doors and panels

## Demand for greater privacy in public restrooms has been a long time coming.

What is privacy? For many it brings to mind ‘a retreat, seclusion, solitude’. While most might not associate those terms with public restrooms, there is no question that privacy is becoming more important to everyone who uses those spaces. Taking cues from European influence, Bradley privacy partitions give owners and architects the options to create a comfortable, durable restroom retreat for users.

### Mills Privacy Partition Features

*Nearly 30% of Americans use a public restroom simply to get away.*




#### **NO-SITE™ OPTIONS**

Eliminates gaps between doors, pilasters and panels

Integral No-Site design standard on phenolic partitions. Optional with Bradmar

Full privacy height No-Site strips available for stainless steel and powder coated

Full privacy height and continuous hinges and brackets available for stainless steel, powder coated and Bradmar




#### **EXTRA HEIGHT DOORS AND PANELS**

72" (1829 mm) tall doors and panels mounted 6" (153 mm) AFF

69" (1753 mm) tall doors and panels mounted 9" (230 mm) AFF for ADA stalls

Two mounting styles: floor-mounted overhead braced or floor-to-ceiling



#### **EXTRA DEPTH PANELS**

Available in depths up to 84" (2134 mm)

Available with extra height stalls

Seamless construction or aluminum H bracket



Phenolic with integral No-Site and standard height

## Phenolic Core **NEW DESIGN!**

Integral No-Site construction comes standard to eliminate gaps between doors and pilasters for maximum privacy. High heat and high-pressure molding of solid phenolic core material delivers impact resistance and superior strength. Available in 12 new colors.

- Built-in No-Site design for high privacy
- Resists water, oil and bacteria
- Withstands wet and humid environments
- Impact and graffiti resistant: perfect for high traffic areas
- Extra-height doors and panels available for added privacy
- Optional door pull and indicator latch with antimicrobial protection
- GREENGUARD Certified as a low emitting material






**PRIVACY OPTIONS**

Phenolic with integral No-Site and extra height and extra depth panels

- Available with seamless panels in select colors

**NEW! Phenolic Colors**



Mission White  
(933)



Folkstone  
(927)




Neutral Grey Dark  
(0761)




Graphite  
(837)



Storm Solidz  
(3505)



Smoke Quarstone  
(6220)




Margo  
(0186)



Natural Ash  
(8843)



Serenio  
(0320)



Loen  
(0607)



Weathered Ash  
(8842)



Calimero  
(0474)



**PRIVACY OPTIONS**

Stainless steel with continuous hinge and extra height doors

## Stainless Steel


Mills takes this popular look to the limit with seamless panels.

- Facing sheets of panels and doors integrally locked together; corners are welded smooth or adhered with a corner clip
- The Permaseal™ design is stronger than conventional crown molding construction
- Extra-height doors and panels available when additional privacy is needed
- The finish wraps completely around the edges
- GREENGUARD Gold Certified


### Stainless Steel Textures



Satin



5WL Textured



Leather Grain







#### PRIVACY OPTIONS


Stainless steel with continuous hinge,  
No-Site strips and extra height doors and panels

#### The Permaseal™ Edge

Mills' exclusive Permaseal edge is available in Stainless Steel or Powder Coated (pg 8).

The Permaseal design locks facing metal sheets integrally together around the perimeter of the panel.

- 15-year warranty against rust-out – best in the industry.
- No moisture penetration
- No rust





Powder Coated with chrome stirrup brackets and standard height

A palette of 15 rich colors and a wide variety of styles at a lean price meet virtually any design need



## Powder Coated

This quality powder coated finish combined with the exclusive Permaseal design makes Mills the best high value metal partition system available.

- State-of-the-art paint system offers 15 rich colors
- Extra-height doors and panels available when additional privacy is needed
- Durable powder coated finish allows for years of long-lasting beauty
- GREENGUARD Certified as a low emitting material







**PRIVACY OPTIONS**

Powder Coated with continuous hinge, No-Site strips and extra height doors and panels

**Powder Coated Colors**



White  
(0750)



Almond  
(2103)



Buff  
(1029)



Dusk Gray  
(0177)



Warm Gray  
(0412)



Adaptive Shade  
(7053)



Toffee  
(8517)



Black  
(0250)



Carnival Red  
(2145)



Burgundy  
(0410)



Cyberspace  
(7076)



Royal Blue  
(0260)



Glacier Blue  
(0550)



Dove Gray  
(2125)



Polo Green  
(0386)

Due to printing variances, the actual material color may differ. Contact your local Bradley Representative for samples.



Bradmar partitions at standard height with urinal screens

## Bradmar Solid Plastic

Bradmar Partitions, Urinal and Sight Screens and Shower Dividers are fabricated from 30% pre-consumer, 100% pre-consumer or 100% post-consumer recycled high density polyethylene (HDPE). A variety of color options provides many design options.

- Low maintenance and high vandal resistance
- Withstands wet and humid environments
- Ideal for schools, theme parks, stadiums and arenas – any high-traffic restroom
- 15-year warranty – one of the industry's best
- GREENGUARD Certified as a low emitting material



### No-Site Partitions

Available with integral No-Site design to eliminate gaps between doors and pilasters to ensure privacy.

- Extra-height doors and panels available when additional privacy is needed
- Available in floor-mounted, overhead braced and floor-to-ceiling mounting styles



**INTEGRAL HINGE SYSTEM**

Hidden within the door cavity, this design combines the strength of HDPE with a 1/2" (13mm) two-piece nylon cam-action pin and 3/16" (5mm) stainless steel pin for the ultimate in reliability.

NO GAPS BETWEEN DOORS AND PILASTERS

OPTIONAL INDICATOR LATCH

**Privacy options**

Bradmar with integral No-Site and extra height doors and panels


**Bradmar 30% Pre-consumer Colors**




Desert Stone (S406)



Linen (M242)



Buttermilk (M226)




Beige (S202)



Toffee (M227)




Canyon Granite (M244)



Gray (S200)




Charcoal Gray (S215)



Starry Night (S225)



Deep Blue (S203)



Burgundy (S211)

Due to printing variances, the actual material color may differ. Contact your local Bradley Representative for samples.

**Bradmar 100% Post-consumer Colors**



Charcoal Gray (M248)



Toffee (M247)



Black (M258)

**Bradmar 100% Pre-consumer Color**



Black (R205)



Phenolic with integral No-Site  
and extra height doors and panels

# Mills Partitions Features

MATERIAL		POWDER COATED	PHENOLIC CORE	BRADMAR	STAINLESS STEEL
MOUNTING STYLE		400 Series 500 Series 600 Series 700 Series	400 Series 500 Series 600 Series 700 Series	400 Series 700 Series	400 Series 500 Series 600 Series 700 Series
TRAFFIC		Moderate	Heavy	Heavy	Heavy
VANDAL RESISTANCE		Finish susceptible to graffiti and scratches Durable Impact resistant	Highly durable Impact resistant Heavy-duty stainless steel hardware is standard	Graffiti easily wiped away with ordinary cleaners Dent-proof	Textured patterns resist scratches Buffing removes scratches from brushed finish
ENVIRONMENT		Moderate	Dry Moderate Humid Wet	Dry Moderate Humid Wet	Dry Moderate
AESTHETICS		15 standard colors High quality gloss finish Edges: Permaseal	12 standard colors Stainless steel brackets. Edges: Solid black	15 standard colors Aluminum brackets Stainless steel shoes	Satin brushed 5WL textured Leather Grain textured Texture or pattern wraps around edges Edges: Permaseal
PRIVACY OFFERINGS	DOOR + PANEL HEIGHT *	All stalls 72" (1829 mm) H, 6" (153 mm) AFF - OR - Combination 72" (1829 mm) H, 6" (153 mm) AFF stall with ADA 69" (1753 mm) H, 9" (230 mm) AFF stall	All stalls 72" (1829 mm) H, 6" (153 mm) AFF - OR - All stalls 69" (1753 mm) H, 9" (230 mm) AFF - OR - Combination 72" (1829 mm) H, 6" (153 mm) AFF stall with ADA 69" (1753 mm) H, 9" (230 mm) AFF stall	All stalls 72" (1829 mm) H, 6" (153 mm) AFF - OR - Combination 72" (1829 mm) H, 6" (153 mm) AFF stall with ADA 69" (1753 mm) H, 9" (230 mm) AFF stall	All stalls 72" (1829 mm) H, 6" (153 mm) AFF - OR - Combination 72" (1829 mm) H, 6" (153 mm) AFF stall with ADA 69" (1753 mm) H, 9" (230 mm) AFF stall
	STACKED PANEL DESIGN *	61" (1550 mm) to face	63" (1601 mm) or 75" (1905 mm) to face depending on color	58" (1474 mm) to face	61" (1550 mm) to face
	OPTIONS	No-Site strips Continuous hinge Continuous bracket	Standard	Integral No-Site design OR Continuous hinge Continuous bracket	No-Site strips Continuous hinge Continuous bracket
APPLICATIONS		Schools Office buildings Restaurants Religious facilities	Outdoor facilities Parks Pools Shower rooms	Schools Parks Retail	Airports Stadiums Public rest stops
WARRANTY		15 years: against rust-out 5 years: chrome plated Zamac hardware	3 years against delamination and discoloration	15 years against rust, delamination or breakage of any plastic components	15 years against rust-out 5 years: chrome plated Zamac hardware
Lifetime warranty on stainless steel hardware for all materials					

\*Available in floor mounted overhead braced and floor to ceiling mounting configurations.



VISIT [BRADLEYCORP.COM](http://BRADLEYCORP.COM) FOR TECHNICAL DOCUMENTS AND BIM/REVIT, SKETCHUP AND AUTOCAD MODELS

**Commercial Washrooms. Brought to Life.**

HANDWASHING & DRYING | ACCESSORIES | PARTITIONS | LOCKERS

[bradleycorp.com](http://bradleycorp.com)  
800 BRADLEY +1 262 251 6000  
W142 N9101 Fountain Boulevard  
Menomonee Falls, WI USA 53051



3788-15-0721